

# CATANIA


CATANIA FORMS CHARACTER IN A CONTEMPORARY VERSION OF CONCRETE ENHANCED BY SUBTLE TONAL VARIATION. BREATHING NEW LIFE INTO CEMENT WITH A COTTO EFFECT.



# CATANIA

PORCELAIN TILE

#### SIZES



# FINISH

NATURAL, HONED, GRIP | varies per size - refer to chart

## THICKNESS

9MM, 10MM | varies per size - refer to chart

#### LEAD TIME + LOCATION

6-8 WEEKS | ITALY

#### RECYCLED CONTENT


40% PRE-CONSUMER

## TECHNICAL DATA


Specification Reference	Test Method	Test Result	
BREAKING STRENGTH	ISO 10545-4	R>40 N/мм2, S> 1600 N	
WATER ABSORPTION	ISO 10545-3	<0.2%	
DCOF	ANSI A137.1	<u>≥</u> 0.42	















1"x1" MIX MOSAIC ON 12"x12"x9mm | NATURAL



DARK GREY, ASH, DIM GREY

2"x2" MOSAIC ON 12"x12"x9mm | NATURAL







	DARK GREY	ASH	LIGHT GREY	DIM GREY
12″×24″×9мм	NATURAL NATURAL - RECTIFIED HONED - RECTIFIED			
18″x18″x9мм	NATURAL GRIP	NATURAL GRIP	NATURAL GRIP	NATURAL GRIP
24"х24"х9мм	NATURAL - RECTIFIED HONED - RECTIFIED			
30"х30"х10мм	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED
30″х60″х10мм	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED
3″x24″x9мм BULLNOSE	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED
13"x24"x10мм STAIRTREAD	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED
13"x24"x10mm STAIRTREAD CORNER LEFT OR RIGHT	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED	NATURAL - RECTIFIED