


FUSED GLASS



DESCRIPTION


Manufactured using 100% recycled glass, Fused Glass mosaics are extremely durable and well suited for both interior and exterior wall tile applications, as well as many floor tile applications without risk of deterioration or fading. Available in a wide variety of brilliant colors and finishes, this collection offers limitless design options.

COLORS




FUSED GLASS

COLORS




FINISHES

FINISHES FOR EACH COLOR VARY. EACH COLOR IS SHOWN IN THE AVAILABLE FINISHES AND IS LABELED WITH THE APPROPRIATE FINISH CODE.




COLOR NAMES


100.C	CRYSTAL CLEAR	405.M	EVERGREEN METALLIC
100.IR	CRYSTAL IRIDESCENT	406.C	SAGE CLEAR
100.F	CRYSTAL FROSTED	406.M	SAGE METALLIC
100.S	CRYSTAL SAND	407.C	SEAFOAM GREEN CLEAR
100.SI	CRYSTAL SAND IR.	407.IR	SEAFOAM GREEN IR
101.O	COOL WHITE OPAQUE	407.M	SEAFOAM GREEN M
102.O	WHITE OPAQUE	407.F	SEAFOAM GREEN F
102.OI	WHITE OPAQUE IR.	407.S	SEAFOAM GREEN SAND
100.M	CRYSTAL METALLIC	407.SI	SEAFOAM GREEN SIR
103.C	CHAMPAGNE CLEAR	408.C	GREEN GREY CLEAR
103.IR	CHAMPAGNE IR.	408.IR	GREEN GREY IR
103.M	CHAMPAGNE METALLIC	408.M	GREEN GREY METALLIC
103.F	CHAMPAGNE FROSTED	408.F	GREEN GREY FROSTED
104.C	WHEAT CLEAR	409.C	GREEN BLUE CLEAR
104.IR	WHEAT IRIDESCENT	409.IR	GREEN BLUE IR
104.M	WHEAT METALLIC	409.M	GREEN BLUE M
104.F	WHEAT FROSTED	410.C	OLIVE GREEN CLEAR
105.C	AMBER CLEAR	410.IR	OLIVE GREEN IR
105.S	AMBER SAND	410.M	OLIVE GREEN METALLIC
105.SI	AMBER SAND IRIDESCENT	500.C	AQUAMARINE CLEAR
106.C	SMOKE CLEAR	500.IR	AQUAMARINE IR
106.SV	SMOKE SILVER	500.M	AQUAMARINE M
106.S	SMOKE SAND	500.F	AQUAMARINE FROSTED
106.SI	SMOKE SAND IR	500.S	AQUAMARINE SAND
200.C	ROSE CLEAR	500.SI	AQUAMARINE SAND IR
200.IR	ROSE IR	501.C	TURQUOISE CLEAR
200.M	ROSE METALLIC	501.IR	TURQUOISE IR
201.C	DARK ROSE CLEAR	501.M	TURQUOISE METALLIC
201.IR	DARK ROSE IR	502.C	SKY BLUE CLEAR
201.M	DARK ROSE METALLIC	502.IR	SKY BLUE IR
201.F	DARK ROSE FROSTED	502.M	SKY BLUE METALLIC
202.C	BURGUNDY CLEAR	503.C	LIGHT BLUE CLEAR
202.M	BURGUNDY METALLIC	503.IR	LIGHT BLUE IR
203.O	DARK PURPLE OPAQUE	503.M	LIGHT BLUE METALLIC
203.OI	DARK PURPLE O IR	504.C	BLUE CLEAR
203.OM	DARK PURPLE OM	504.IR	BLUE IR
300.C	GREY BROWN CLEAR	504.M	BLUE METALLIC
300.IR	GREY BROWN IR	505.C	COBALT CLEAR
300.M	GREY BROWN METALLIC	505.IR	COBALT IR
300.F	GREY BROWN FROSTED	505.M	COBALT METALLIC
300.S	GREY BROWN SAND	506.C	DARK BLUE CLEAR
300.SI	GREY BROWN SAND IR	506.IR	DARK BLUE IR
301.C	UMBER CLEAR	506.M	DARK BLUE METALLIC
301.IR	UMBER IR	507.C	BLUE GREY CLEAR
301.M	UMBER METALLIC	507.IR	BLUE GREY IR
302.C	RED BROWN CLEAR	507.M	BLUE GREY METALLIC
302.IR	RED BROWN IR	507.F	BLUE GREY FROSTED
302.M	RED BROWN M	507.S	BLUE GREY SAND
400.C	LIME GREEN CLEAR	507.SI	BLUE GREY SAND IR
400.IR	LIME GREEN IR	508.C	BLUE GREEN CLEAR
400.M	LIME GREEN METALLIC	508.IR	BLUE GREEN IR
401.C	LIGHT GREEN CLEAR	508.M	BLUE GREEN METALLIC
401.IR	LIGHT GREEN IR	509.C	TEAL CLEAR
401.M	LIGHT GREEN METALLIC	509.IR	TEAL IR
402.C	MINT GREEN CLEAR	509.M	TEAL METALLIC
402.IR	MINT GREEN IR		
402.M	MINT GREEN METALLIC		
403.C	EMERALD CLEAR		
403.IR	EMERALD IR		
403.M	EMERALD METALLIC		
404.C	DARK GREEN CLEAR		
404.IR	DARK GREEN IR		
404.M	DARK GREEN METALLIC		
405.C	EVERGREEN CLEAR		
405.IR	EVERGREEN IR		






SIZES





1"x1" Mosaic



1"x2" Mosaic

1"x2" Staggered
Mosaic1"x4" Staggered
Mosaic

1"x2" Herringbone

1.5" Hexagon
Mosaic1"x4" Stacked
Mosaic

TECHNICAL DATA*

Specification Reference	Test Method	Test Result
Breaking Strength	ASTM C-648	PASSED
Water Absorption	ASTM C373	Impervious
Chemical Resistance	ASTM C650-04	No Effects Class A
Freeze/Thaw	ASTM C-1026-13	PASSED
Thermal Shock	ANSI A137.2-7.9	PASSED

All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact.



MOUNTING

Glass mosaics are provided as face-mounted sheets. The default mounting is paper-faced, clear plastic face-mounting is also available. All mosaics are mounted with a 2mm grout joint.

Other customized layouts may be available.

RECYCLED CONTENT

Our glass tiles are made using high quality glass that is 100% recycled. The majority of the glass comes from post-industrial sources, a significant amount of postconsumer glass is consumed enabling Fused glass tiles to meet the requirements of A137.2 Category 3.