

NEBULA + NEBULA BLENDS

NEBULA OFFERS AN EXQUISITE PALETTE IN WHICH COLOR, OPACITY, AND SURFACE TEXTURE COMBINE TO CREATE A RICH GLASS SURFACE. THE INSPIRATION OF OPAL IS KNOWN FOR THE PLAY OF COLORS WITHIN, AS WELL IS SAID TO BRING BEAUTY.



VIOLET

creative
materials
corporation




YELLOW GREIGE BLEND

NEBULA

GLASS TILE

SIZES



5/8"x5/8" OFF-SET MOSAIC
ON 12.87"x12.87" SHEET

FINISH

IRIDESCENT

MOUNT

PAPER-FACE

THICKNESS

4MM

LEAD TIME + LOCATION

1-2 WEEKS DOMESTIC INVENTORY | JAPAN

RECYCLED CONTENT


70% - POST-CONSUMER

TECHNICAL DATA


SPECIFICATION REFERENCE	TEST METHOD	TEST RESULT
BREAKING STRENGTH	ASTM C648	>250 PSI
WATER ABSORPTION	ASTM C373	≤0.01%
DCOF	ANSI A326.3	INTERIOR WET



All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact.




BLACK




GRAPHITE




ZINC




RAINBOW




IRON



GREY PEARL



COOL GREY



BLUE GREY



WARM GREY



WHITE



COOL WHITE



IVORY PEARL



BONE



GREIGE



CARAMEL



YELLOW




LIGHT
YELLOW




COFFEE




MUSHROOM




KHAKI



OLIVE GREEN



EVERGREEN



TEAL




MINT GREEN




LIGHT
AQUAMARINE




AQUAMARINE




TURQUOISE




SKY BLUE




PERIWINKLE




LIGHT BLUE




BLUE



COBALT




COPPER



MAUVE



LILAC




VIOLET



NEBULA BLENDS

GLASS TILE

SIZES



5/8"X5/8" OFF-SET MOSAIC
ON 12.87"X12.87" SHEET

FINISH

MIX

MOUNT

PAPER-FACE

THICKNESS

4MM

LEAD TIME + LOCATION

1-2 WEEKS DOMESTIC INVENTORY | JAPAN

RECYCLED CONTENT


70% - POST-CONSUMER

TECHNICAL DATA

SPECIFICATION REFERENCE	TEST METHOD	TEST RESULT
BREAKING STRENGTH	ASTM C648	>250 PSI
WATER ABSORPTION	ASTM C373	≤0.01%
DCOF	ANSI A326.3	INTERIOR WET



All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact.



RAINBOW BLEND



GREIGE BLEND



IVORY PEARL BLEND



METALLIC BLEND



KHAKI BLEND



COFFEE BLEND




YELLOW BLEND



YELLOW GREIGE
BLEND



OLIVE GREEN BLEND



TURQUOISE BLEND



LIGHT BLUE BLEND



BLUE BLEND



RED BLEND



VIOLET BLEND



LIGHT BLUE BLEND

