

NATURAL ELEGANCE

NATURAL ELEGANCE LVT TURNS LOOKS ON END WITH THIS CLEVER END-CUT WOOD AESTHETIC AND OFFERING CLASSIC MARBLE IN BLUE PROVIDES DESIGNERS WITH A TRULY UNIQUE COMMERCIAL FLOORING OPTION. BOTH LOOKS ADD A MODERN TOUCH USING A METALLIC EDGE TO ACHIEVE DESIGN EXCITEMENT.



BROWN END GRAIN

creative
materials
corporation



WHITE MARBLE

NATURAL ELEGANCE

LUXURY VINYL TILE

SIZES

18"x18"

WEAR LAYER

20 MIL

THICKNESS

5MM

LEAD TIME + LOCATION

2-4 WEEKS | USA

EDGE PROFILE


SQUARE

INSTALLATION


GLUE DOWN

ENVIRONMENTAL


- ENVIRONMENTAL PRODUCT DECLARATION (EPD) - 3RD PARTY CERTIFIED IN ACCORDANCE WITH ISO 14025, EN 15804, AND ISO 21930:2017
- FLOORSCORE® - CERTIFIED
- MR CREDIT: BUILDING PRODUCT DISCLOSURE AND OPTIMIZATION
 - ENVIRONMENTAL PRODUCT DECLARATIONS - OPTION 1
 - ENVIRONMENTAL PRODUCT DECLARATION - RFCI INDUSTRY AVERAGE EPD (50%)
 - EQ CREDIT: LOW EMITTING MATERIALS - OPTION 1
 - PRODUCT CATEGORY CALCULATIONS - FLOORSCORE CERTIFIED



BLACK MARBLE



CHARCOAL END GRAIN



GREY MARBLE



GREY END GRAIN




WHITE MARBLE




BEIGE END GRAIN



GREIGE END GRAIN



TAUPE END GRAIN



BROWN END GRAIN



RED BROWN END GRAIN



DARK BROWN END GRAIN



BLUE MARBLE


NATURAL ELEGANCE

LUXURY VINYL TILE


SPECIFICATION REFERENCE	TEST METHOD	TEST RESULT
STATIC LOAD	ASTM F970	PASSES- (MODIFIED) 2,000 PSI
HEAT RESISTANCE	ASTM F1514	PASSES
LIGHT RESISTANCE	ASTM F1515	PASSES
CHEMICAL RESISTANCE	ASTM F925	PASSES
SMOKE DENSITY	ASTM E662	PASSES <450
RADIANT PANEL	ASTM E648	PASSES, CLASS 1
CLASSIFICATION	ASTM F1700	CLASS II, TYPE B

**All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact.


PATTERN OPTIONS




MONOLITHIC



QUARTER TURN



BRICK



ASHLAR

