


# CHROMA

CHROMA ENCOURAGES EXPERIMENTATION WITH COLOR BUILDING OFFTHE OTHER ALLOWING YOU TO CREATE SUBTLE OR BOLD VISUAL DESIGNS RESULTING IN UNIQUE SPACES. THE COLOR INTENSITIES OF THE PALETTE VARY FROM SOFT, MUTED COLORS TO THE PERFECT NEUTRALS, TO BRIGHT, EYE-CATCHING COLORS.



## CHROMA

CERAMIC TILE

SIZES

2"x10"

#### FINISH

GLOSSY

#### THICKNESS

10MM

#### LEAD TIME + LOCATION

8-10 WEEKS | ITALY

#### RECYCLED CONTENT


40% PRE-CONSUMER

#### TECHNICAL DATA

Specification Reference	Теѕт Метнор	Test Result
BREAKING STRENGTH	ISO 10545-4	≥600N
WATER ABSORPTION	ISO 10545-3	≥10%
ABRASION RESISTANCE	ISO 10545-6	Resistant
DCOF	ANSI A326.1	<0.42



\*Ceramic is intended for wall use only. All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact. Material is intended for wall use only.



### CERAMIC TILE

CHART INDICATES AVAILABLE SIZE + THICKNESS + FINISH OPTIONS. IF GREY BLOCK IS PRESENT, THE PRODUCT IS NOT AVAILABLE IN THAT SIZE. SIZING IS NOMINAL FOR FIELD TILE, TRIMS, AND DECORS.

			K				8				R.		<b>X</b>	
							5							
		3							8		2			4
			Į.			_R 				) j	S R			D Di
	WHITE	GREY	TAUPE	МОСНА	METALLIC	DEEP BLUE	BLUE	BLUE GREY	SAGE	EVERGREEN	ROSE	PINK	YELLOW	BLACK
2″х10″х10мм	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY

