

EFFERVESCENT

CERAMIC TILE

SIZES

3"×12"

FINISH

GLOSSY

THICKNESS

8мм

LEAD TIME + LOCATION

8-10 WEEKS | ITALY

RECYCLED CONTENT

9% PRE-CONSUMER

TECHNICAL DATA

Specification Reference	Test Method	TEST RESULT		
WATER ABSORPTION	ISO 10545-3	≥10%		
BREAKING STRENGTH	ISO 10545-4	≥600 N		
DCOF	ANSI A326.1	< 0.42		

Shade V1 Variation


*Ceramic is intended for wall use only. All technical data was supplied by the manufacturer and is being provided by CMC for informational purposes only. Exact test results should be requested from your CMC contact.

WHITE	WHITE FIZZY	BEIGE	B
TAUPE FIZZY	RED	RED FIZZY	
LIME	LIME FIZZY	GREEN	G
TURQUOISE	BLUE	BLUE FIZZY	LEE





BEIGE FIZZY



YELLOW



YELLOW FIZZY



TURQUOISE









EFFERVESCENT

CERAMIC TILE

CHART INDICATES AVAILABLE SIZE + THICKNESS + FINISH OPTIONS. IF GREY BLOCK IS PRESENT, THE PRODUCT IS NOT AVAILABLE IN THAT SIZE. SIZING IS NOMINAL FOR FIELD TILE, TRIMS, AND DECORS.

	WHITE	BEIGE	TAUPE	GREEN	BLUE	TURQUOISE	LIME	YELLOW	RED
З"х12"х8мм	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY
	WHITE FIZZY	BEIGE FIZZY	TAUPE FIZZY	GREEN FIZZY	BLUE FIZZY	TURQUOISE FIZZY	LIME FIZZY	YELLOW FIZZY	RED FIZZY
З"х12"х8мм	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY	GLOSSY



WWW.CREATIVEMATERIALSCORP.COM