




Black


Description

Oxidize porcelain tile is modern appeal with the blend of oxidized metal and worn cement creating a grounded foundation. A contemporary expression of refinement. The spirit of strength in appearance plus resilience in function.

Colors



Sizes



Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Interior, Wet Plus (>0.50 Wet)
Water Absorption	ASTM C373	< 0.5%
Breaking Strength	ASTM C648	> 330 lbf
PEI	ASTM C1027	IV

Finish & Thickness

Matte | 9.5mm, 10.5mm
Finish varies per size and color –
Refer to Color•Size•Finish Matrix

Lead Time

2-3 Weeks
Domestic Inventory

Location

Turkey



Body Type	Shade Variation
Glazed Color-Body Porcelain	V3



Mosaics

x2" Mosaic on 12"x12"x9.5mm Sheet Matte



Light Grey




Medium Grey



Brown



Charcoal



Black

Color•Size•Finish Matrix







Color — Size & Thickness					
	Light Grey	Medium Grey	Brown	Charcoal	Black
12" x 24" x 9.5mm	Matte	Matte	Matte	Matte	Matte
24" x 24" x 9.5mm	Matte	Matte	Matte	Matte	Matte
16" x 32" x 10.5mm	Matte	Matte	Matte	Matte	Matte
32" x 32" x 10.5mm	Matte	Matte	Matte	Matte	Matte
Bullnose 3" x 24" x 9.5mm	Matte	Matte	Matte	Matte	Matte
					

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

