creative materials corporation



Description

Wood Collection 01 is a well-rounded LVT wood collection offering several species and grain patterns. From warm tones to whitewashes and unique looks like skip sawn and reclaimed, you're sure to find the exact wood look needed in higher-traffic areas.

Colors

Bleached Weathered Pine	Pickled Oak	Beige Skipsawn	Liming Waxed White Oak
Sessile Oak	Oiled Pine	Sugar Maple	White Oak
Fused Birch	Yellow Pine	Oiled Maple	Natural Cherry
Bleached Cherry	Natural Willow Oak	Quartersawn Red Oak	Spalted Beech
Light Brown English Oak	Natural Teak	Aged Teak	Natural American Cherry
Waxed Teak	Autumn Cherry	Cinnamon Stained Oak	Antique Cinnamon Stained Oak
Natural Rosewood	Natural Merbeau	Natural Walnut	Salted Oak

www.creativematerialscorp.com | 800.207.2967 | info@creativematerialscorp.com


creative materials corporation

Ash Brown English Oak	Reclaimed Oak	Pickled Brown Oak	Brown English Oak
Wirebrushed Oak	Pickled Dark Brown Oak	Grey Wirebrushed Oak	Fumed Oak
Taupe Wood Grain	Brown Weathered Skipsawn	Ash Brown Weathered Skipsawn	Taupe Stained Oak
Dark Brown Weathered Cedar	Dark Brown Stained Maple	Dark Brown Stained Walnut	Brown Stained Walnut
Nutmeg Stained Walnut	French Oak	Warm Grey English Oak	Taupe Skipsawn
Light Grey Wirebrushed	Grey Skipsawn	Grey Weathered Pine	Smoked Pine
Grey Sessile Oak	Distressed Grey Stained Pine	Grey Striated Wood	Dark Grey Stained Oak
Ash Sessile Oak	Grey Washed Oak	Blue Grey Weathered Cedar	Light Grey Weathered Cedar
Graphite Weathered Skipsawn	Grey Striated White Oak	Grey Weathered Cedar	Dark Grey Sessile Oak
Dark Grey Striated Wood	Silver Grey Maple	Grey Wood Grain	Charcoal Stained Oak
Charcoal Striated Wood	Black Weathered Pine	Black Weathered Skipsawn	Blue Grey Stained Wood

creative materials corporation



Sizes



Technical Data

Specification Reference	Test Method	Test Result
Static Load	ASTM F970	Passes - 2,000 PSI
Heat Resistance	ASTM F1514	Passes
Light Resistance	ASTM F1515	Passes
Chemical Resistance	ASTM F925	Passes
Smoke Density	ASTM E662	Passes < 450
Radiant Panel	ASTM E648	Passes, Class 1
Flexibility	ASTM F137	Passes, 1" Mandrel
Dimensional Stability	ASTM F2199	Passes, Max 0.020"/Ift
Squareness	ASTM F540	Passes, Max 0.010"
Residual Indentation	ASTM F1914	Passes < 8% Avg.
Flooring Radiant Panel	ASTM E648P	Passes, Class 1
Classification	ASTM F1700	Class III, Type B

Body Type	Installation		
Luxury Vinyl Tile (LVT)	Glue Down		

Wear Layer & Thickness 40 Mil | 2.5mm

Edge Profile

Micro-Beveled

Lead Time


2-4 Weeks Domestic Inventory

> Location United States

creative materials corporation




Patterns



 $\begin{array}{c|c} + & + \\ + & +$

Monolithic



Color•Size•Finish Matrix

Color — Size & Thickness					AND								HALL P	
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Bleached Weathered Pine	Pickled Oak	Beige Skipsawn	Liming Waxed White Oak	Sessile Oak	Oiled Pine	Sugar Maple	White Oak	Fused Birch	Yellow Pine	Oiled Maple	Natural Cherry	Bleached Cherry	Natural Willow Oak
Color 														
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Quartersawn Red Oak	Spalted Beech	Light Brown English Oak	Natural Teak	Aged Teak	Natural American Cherry	Waxed Teak	Autumn Cherry	Cinnamon Stained Oak	Antique Cinnamon Stained Oak	Natural Rosewood	Natural Merebeau	Natural Walnut	Salted Oak
Color — Size & Thickness														
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Ash Brown English Oak	Reclaimed Oak	Pickled Brown Oak	Brown English Oak	Wirebrushed Oak	Pickled Dark Brown Oak	Grey Wirebrushed Oak	Fumed Oak	Taupe Wood Grain	Brown Weathered Skipsawn	Ash Brown Weathered Skipsawn	Taupe Stained Oak	Dark Brown Weathered Cedar	Dark Brown Stained Maple
Color Size & Thickness														
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Dark Brown Stained Walnut	Brown Stained Walnut	Nutmeg Stained Walnut	French Oak	Warm Grey English Oak	Taupe Skipsawn	Light Grey Wirebrushed	Grey Skipsawn	Grey Weathered Pine	Smoked Pine	Grey Sessile Oak	Distressed Grey Stained Pine	Grey Striated Wood	Dark Grey Stained Oak
hart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.														

creative materials corporation

creative materials corporation

Color•Size•Finish Matrix

Color — Size & Thickness						
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Ash Sessile Oak	Grey Washed Oak	Blue Grey Weathered Cedar	Light Grey Weathered Cedar	Graphited Weathered Skipsawn	Grey Striated White Oak
Color — Size & Thickness						
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Grey Weathered Cedar	Dark Grey Sessile Oak	Dark Grey Striated Wood	Silver Grey Maple	Grey Wood Grain	Charcoal Stained Oak
Color — Size & Thickness						
3.5" x36" x2.5mm 4" x36" x2.5mm 6" x36" x2.5mm 9" x36" x2.5mm	Charcoal Striated Wood	Black Weathered Pine	Black Weathered Skipsawn	Blue Grey Stained Wood		

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

