


#### Description

Wood Collection 04 is a classic LVT wood look brought to life with a 20mil wear layer, a budget-friendly price-point, and superior scratch and stain resistance. Look no further than the Wood Collection 04 for your commercial projects.

#### Colors



All colors have a minimum order quantity of 2,000 SF and applicable production lead time.

## WOOD COLLECTION 04

### creative materials corporation



#### Sizes

4 10 10 1
6" x48"

Wear Layer & Thickness Lead Time

20 Mil | 2.5mm

Edge Profile

Square

6-8 Weeks

Location
United States

#### Technical Data

Specification Reference	Test Method	Test Result
Static Load	ASTM F970	Passes - 1,500 PSI
Heat Resistance	ASTM F1514	Passes
Light Resistance	ASTM F1515	Passes
Chemical Resistance	ASTM F925	Passes
Smoke Density	ASTM E662	Passes < 450
Radiant Panel	ASTM E648	Passes, Class 1
Flexibility	ASTM F137	Passes, 1" Mandrel
Dimensional Stability	ASTM F2199	Passes, Max 0.020"/Ift
Squareness	ASTM F540	Passes, Max 0.010"
Residual Indentation	ASTM F1914	Passes < 8% Avg.
Flooring Radiant Panel	ASTM E648P	Passes, Class 1
Classification	ASTM F1700	Class III, Type B

Body Type	Installation
Luxury Vinyl Tile (LVT)	Glue Down






# WOOD COLLECTION 04



#### **Patterns**



### WOOD COLLECTION 04

### creative materials corporation

#### Color • Size • Finish Matrix

Color — Size & Thickness						
6" x48" x2.5mm	Classic Oak	Golden Oak	Cinnamon	Cedar	Caramel	Beige
Color — Size & Thickness						
6"x48"x2.5mm	Taupe	Pine	Walnut	Country Oak	Taupe Oak	Gold
Color — Size & Thickness						
6" x48" x2.5mm	Ash Brown	Cream	European Oak	Light Beige	Bistre	Warm Grey
Color — Size & Thickness	Ash Brown	Cream	European Oak	Light Beige	Bistre	Warm Grey

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.



