





## Description

Network LVT flooring offers a unique overlapping geometric pattern using squares and rectangles. The bonus of availability in both neutral and bright colors sets this LVT flooring apart.

## Colors



## Size



## Wear Layer & Thickness

20 Mil | 2.5mm

## Lead Time

2-4 Weeks


## Edge Profile

Square

## Location


United States






Teal Overlap

## Patterns



Brick



Monolithic

## Technical Data

Specification Reference	Test Method	Test Result
Static Load	ASTM F970	Passes - 2,000 PSI
Heat Resistance	ASTM F1514	Passes
Light Resistance	ASTM F1515	Passes
Chemical Resistance	ASTM F925	Passes
Smoke Density	ASTM E662	Passes < 450
Flexibility	ASTM F137	Passes, 1" Mandrel
Residual Indentation	ASTM F1914	Passes < 8% Avg.
Flooring Radiant Panel	ASTM E648	Passes, Class 1
Classification	ASTM F1700	Class III, Type B

Body Type	Installation
Luxury Vinyl Tile (LVT)	Glue Down

## Color•Size•Finish Matrix

Color — Size & Thickness						
12"x24"x2.5mm	Beige Overlap	Taupe Overlap	Lime Green Overlap	Orange Overlap	Brown Overlap	Teal Overlap

Color — Size & Thickness						
12"x24"x2.5mm	Purple Overlap	Blue Overlap	Light Grey Overlap	Grey Overlap	Dark Grey Overlap	Black Overlap



Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

