CANOPY


creative CONTRACT



Description

Canopy LVT blends wood's warm, natural appeal with the strength and practicality needed for high-traffic areas. From contemporary to traditional, its classic appearance effortlessly enhances any design style, offering an enduring flooring option that suits a wide range of aesthetics.

Colors



Sizes

 6"x48"

 Wear Layer & Thickness
 Edge Profile
 Lead Time
 Location

 12 Mil | 2mm
 Square
 1-2 Weeks
 Domestic Inventory

CANOPY

creative CONTRACT


Technical Data


Specification Reference	Test Method	Test Result	
Heat Resistance	ASTM F1514	Passes	
Light Resistance	ASTM F1515	Passes	
Chemical Resistance	ASTM F925	Passes	
Smoke Density	ASTM E662	Passes < 450	
Dimensional Stability	ASTM F2199	Passes	
Residual Indentation	ASTM F1914	Passes	
Flooring Radiant Panel	ASTM E648	Passes, Class 1	

Body Type	Installation
Luxury Vinyl Tile (LVT)	Glue Down




Patterns






Stagger



Monolithic



CANOPY

creative CONTRACT

Color•Size•Finish Matrix

Color — Size & Thickness	and the			
6" x48" x2mm	Sunbleached Oak	Whitewashed Elm	Limewashed Oak	Classic Oak
Color — Size & Thickness				
6" x48" x2mm	Distressed Hickory	Cedar	Reclaimed Oak	Driftwood
Color — Size & Thickness				
6" x48" x2mm	Cherry Maple	Mahogany	Brazilian Walnut	Weathered Oak
Color — Size & Thickness				
6" x48" x2mm	Grey Stained Maple	Distressed Oak	Weathered Grey	Greywashed Elm

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.



