



## Description

Wax porcelain tile captivates with its dynamic aesthetic yet delivers an unexpectedly smooth tactile experience. It was designed to emulate the malleable nature of wax through various manipulations. These methods create beautiful breaks and fractures, followed by solidification at varying intervals, leading to distinctive milky hues.

## Colors



White



Beige



Grey

## Finish & Thickness

Matte, Soft | 9mm

Finish varies per size and color –  
Refer to Color•Size•Finish Matrix

## Lead Time

8-10 Weeks

## Location

Italy

## Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Matte > 0.42 Wet
		Soft > 0.42 Dry
Water Absorption	ISO 10545-3	< 0.2%
Breaking Strength	ISO 10545-4	R>35 N/mm <sup>2</sup> , S>1300N
PEI	ISO 10545-7	IV • Grey, Grey Spark
		V • Beige, Beige Spark, White, Multi Spark

Body Type	Shade Variation
Glazed Color-Body Porcelain	V3





2024v3



## Spark Colors



## Sizes



Color•Size•Finish Matrix

Color — Size & Thickness						
	White	Multi Spark	Beige	Beige Spark	Grey	Grey Spark
24"x48"x9mm Rectified	Matte Soft	Soft	Matte Soft	Soft	Matte Soft	Soft
48"x48"x9mm Rectified	Matte Soft	Soft	Matte Soft	Soft	Matte Soft	Soft



Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

