




Description

Inns porcelain tile bears a grainy linear effect that draws inspiration from sandy soils and is enhanced with shiny mineral speckles. A softness of expression for timeless elegance. A high-performing product in terms of strength and durability, without losing its sophisticated beauty.

Colors



Sizes



Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Natural • > 0.42 Wet
Water Absorption	ASTM C373	< 0.1%
Breaking Strength	ASTM C648	> 400 lbf
PEI	ASTM C1027	IV

Body Type	Shade Variation
Glazed Color-Body Porcelain	V2

Finish & Thickness

Natural | 7.5mm, 8mm
Finish varies per size and color –
Refer to Color•Size•Finish Matrix

Lead Time

2-3 Weeks

Location


USA






Mosaics


1"x2" Mosaic on 12"x12"x8mm Sheet Natural | Rectified




White




Light Grey




Sand



Taupe




Grey



Black


2"x2" Mosaic on 12"x12"x8mm Sheet Natural | Rectified



White




Light Grey




Sand



Taupe



Grey



Black

Color•Size•Finish Matrix



Color — Size & Thickness						
	White	Light Grey	Sand	Taupe	Grey	Black
12"x24"x8mm Rectified	Natural	Natural	Natural	Natural	Natural	Natural
18"x36"x8mm Rectified	Natural	Natural	Natural	Natural	Natural	Natural
Bullnose 4"x24"x8mm Non-Rectified	Natural	Natural	Natural	Natural	Natural	Natural
						
Covebase 6"x12"x7.5mm Non-Rectified	Natural	Natural	Natural	Natural	Natural	Natural
						

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

