creative materials corporation



Description

Mindful Harmony embraces the beauty of simplicity with a purposeful approach to design. This innovative collection showcases five mosaic shapes, each offering unique graphic patterns, linear textures, and organic motifs. Subtle surface irregularities add depth, ensuring each piece is one-of-a-kind.

Dot Dash Mosaic Colors








Grey





White



Pink

Sizes

Finish & Thickness

Mosaics on a 12" x12" Sheet

Matte | 2mm

Finish varies per size and color -Refer to Color • Size • Finish Matrix

Lead Time Location

8-10 Weeks Italy

Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Not Applicable • Wall Use Only
Water Absorption	ISO 10545-3	> 0.6% - < 20%

Body Type	Shade Variation
Ceramic	V1



All images are shown grouted. Refer to page 4 for compatible grout options.

creative materials corporation


Fracture Mosaic Colors












White

Grey

Taupe

Black





Green

Green Mix

Scales Mosaic Colors









White

Blue





Grey Mix



Taupe

Black



creative materials corporation

Sticks Mosaic Colors











White

Grey

Taupe

Black





Red



Red Mix

Slope Mosaic Colors



White






Blue





Grey

Taupe




Black







creative materials corporation


Close-up View of the Mosaic Patterns







Fracture



Scales

Dot Dash

Coordinating Grout Color Options

Color	Matching Grou	t Color
White	Tofu	
Sand	Vanilla	
Grey	Lunar	
Taupe	Cider	
Black	Ironside	
Pink	Tuscany	
Red	Sunburn	
Blue	Arctic	
Green	Seagrass	

EPOXY ADHESIVE AND SEALANT:

A two-component epoxy adhesive and sealant, designed for laying and grouting ceramic tiles and mosaics. Suitable for joints ranging from 1 to 15 mm in width. This product range is ideal for both indoor and outdoor applications, ensuring excellent performance with low volatile organic compound (VOC) emissions.

KEY FEATURES:

Innovative Formula: Anti-acid, two-component epoxy adhesive and sealant. Component A consists of an epoxy resin blend with fine inert fillers, pigments, and specific organic additives. Component B is an innovative organic catalyst with reduced risk exposure for workers. When mixed, the two components create a smooth, creamy paste that can be applied vertically without dripping. Once cured, the product achieves high mechanical and chemical resistance. Aesthetic and Functional Excellence: Grouts Line can be used both as an adhesive and sealant, offering technical and aesthetic benefits. It ensures stain and chemical resistance, maintaining its color and appearance over time, reducing maintenance needs.

Durability: It offers high mechanical strength, virtually zero water absorption, and excellent chemical resistance, making it suitable for floors and walls, even under severe conditions. The colors remain stable and uniform, delivering long-lasting, high-quality results.

Efflorescence Prevention: Since it is cement-free, Grouts Line prevents efflorescence formation and provides bacteriostatic protection to prevent mold and mildew growth. Environmental Certifications: Grouts Line complies with EC1PLUS standards according to the EMICODE protocol and the A+ class (Indoor air quality – French regulations), ensuring low VOC emissions for a healthy and safe environment.

Grouts Line represents the ideal solution for those seeking a high-quality, durable, and aesthetically excellent epoxy adhesive and sealant.

Mindful Harmony is a collection obtained through casting, using an industrial process but also involving human intervention. The nature of its composition and the production process make each tile different from the others in terms of light reflection and tonal nuances. Additionally, small surface imperfections are a characteristic of this collection and should not be considered defects.

INSTALLATION AND CLEANING INSTRUCTIONS

Mindful Harmony is a collection suitable exclusively for wall cladding. Epoxy grout must be used for material installation. For post-installation and routine cleaning, traditional products suitable for porcelain stoneware can be used, while for any grease stains, the use of alcohol-based degreasers is recommended.

Color•Size•Finish Matrix

Color — Size & Thickness												
	White	Sand	Grey	Taupe	Black	Pink	Red	Red Mix	Blue	Green	Green Mix	Grey Mix
Dot Dash Mosaic on 12″x12″x2mm Sheet	Matte	Matte	Matte	Matte	Matte	Matte						
Fracture Mosaic on 12"x12"x2mm Sheet	Matte	Matte	Matte	Matte	Matte					Matte	Matte	
Scales Mosaic on 12"x12"x2mm Sheet	Matte	Matte	Matte	Matte	Matte				Matte			Matte
Sticks Mosaic on 12"x12"x2mm Sheet	Matte											
Slope Mosaic on 12"x12"x2mm Sheet	Matte	Matte	Matte	Matte	Matte		Matte		Matte			

Images shown in the colorways section of the matrix represent different mosaics. This is to be used as a color reference only. Please request samples before specifying. Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

creative materials corporation

